GR

Safety data sheet according to 1907/2006/EC, Article 31

iccording to 190//2006/EC, Article

Printing date 08.11.2021

Version number 4 (replaces version 3)

Revision: 08.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Product name LOBADUR Viscosity Booster · Article number: 11016-421 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Thickening agent • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357-0 · Informing department: service@loba.de • 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Void · Hazard pictograms Void · Signal word Void · Hazard statements Void • Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. EUH210 Safety data sheet available on request. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	<2.5%
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%
		(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2021

Version number 4 (replaces version 3)

Revision: 08.11.2021

Product name LOBADUR Viscosity Booster

· Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies.
- Inform respective authorities in case product reaches water or sewage system.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 08.11.2021

Version number 4 (replaces version 3)

Revision: 08.11.2021

Product name LOBADUR Viscosity Booster

Touter name LOBADOR Viscosty Dooster			
	(Contd. of page 2)		
SECTION 8: Exposure controls/per	sonal protection		
· · ·			
- 8.1 Control parameters	no monitoring at the works lager		
Components with critical values that require 57.55 (Promuleus object)	re monitoring at the workplace:		
57-55-6 Propylene glycol	50*		
WEL Long-term value: 474* 10** mg/m³, 1 *total vapour and particulates **part.			
	valid during the compilation were used as basis.		
-	valia aaring the compliation were used as basis.		
 8.2 Exposure controls Appropriate engineering controls No furthe 	pr data: see item 7		
· Individual protection measures, such as per			
	Wash hands during breaks and at the end of the work.		
• Breathing equipment: Not required.			
Hand protection			
	nd resistant to the product/ the substance/ the preparation. deration of the penetration times, rates of diffusion and the		
degradation	ueration of the penetration times, rates of affusion and the		
· Material of gloves			
Nitrile rubber, NBR			
	t only depend on the material, but also on further marks of quality		
	turer. As the product is a preparation of several substances, the calculated in advance and has therefore to be checked prior to the		
application.	alculated in davance and has therefore to be checked prior to the		
Recommended thickness of the material: ≥ 0).4 mm		
• Penetration time of glove material			
	d out by the manufacturer of the protective gloves and has to be		
observed.	I below the negative time has to be at least 190 minutes		
(Permeation according to EN 374 Part 3: Le	l below the penetration time has to be at least 480 minutes		
Value for the permeation: Level ≤ 6			
• Eye/face protection Safety glasses recomme	nded during refilling.		
SECTION 9: Physical and chemical	l properties		
• 9.1 Information on basic physical and chen	nical propartias		
• General Information	nicui properties		
Physical state	Fluid		
· Colour:	According to product specification		
Smell:	Recognisable		
• Odour threshold: • Malting point/functing point:			
• Melting point/freezing point: • Boiling point or initial boiling point and bo			
range	Not determined		
Flammability	mmability Not applicable.		
Lower:			
· Upper: Elash point:			
· Flash point: · Self-inflammability:	Not applicable Product is not selfigniting.		
· Decomposition temperature:	Not determined.		
· pH	Not determined.		
· Viscosity:			
Kinematic viscosity at 20 °C	33 s (ISO 4 mm)		
· dynamic: · Solubility	Not determined.		
· Solubility · Water:	Not miscible or difficult to mix		
mul.			

(Contd. on page 4)

GB

Printing date 08.11.2021 Version number 4 (replaces version 3)

Revision: 08.11.2021

Product name LOBADUR Viscosity Booster

		(Contd. of page
Partition coefficient n-octanol/water (log value)	-1.37997	
Steam pressure at 0 °C:	6.11 hPa	
Density and/or relative density		
Density at 20 °C	1.01 g/cm^3	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health an	d	
environment, and on safety.		
Explosive properties:	Product is not explosive.	
Change in condition	-	
Evaporation rate	Not determined.	
Information with regard to physical hazard classe	S	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity
- · LD/LC50 values that are relevant for classification:

55965-84-		nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl- azol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (rat)
Dermal	LD50	660 mg/kg (rat)

(Contd. on page 5)

GB

Printing date 08.11.2021

Version number 4 (replaces version 3)

Revision: 08.11.2021

(Contd. of page 4)

Product name LOBADUR Viscosity Booster

Inhalative	LC50/4 h	0.33 mg/l (rat)
	LC50/96 h	0.188 mg/L (fish)

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

NOEC

• Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h 0.1 mg/L (daphnia)

EC50/72 h 0.027 mg/L (Algae)

0.0012 mg/L (Algae) 0.004 mg/L (daphnia) 0.098 mg/L (fish)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	

GB

Safety data sheet according to 1907/2006/EC, Article 31

accoraing to 1907/2000/EC, Artica

Printing date 08.11.2021

Version number 4 (replaces version 3)

Revision: 08.11.2021

Product name LOBADUR Viscosity Booster

		(Contd. of page 5
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

· Relevant phrases

H301 Toxic if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

• Department issuing data specification sheet: Productmanagement. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 (Contd. on page 7)

Printing date 08.11.2021

Version number 4 (replaces version 3)

Revision: 08.11.2021

Product name LOBADUR Viscosity Booster

Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 • * **Data compared to the previous version altered.** (Contd. of page 6)

GB —