Printing date 20.09.2022 Version number 32 (replaces version 31)

*

Printing date 20.09.2022	Version number 32 (replaces version 31)	Revision: 20.09.2022
SECTION 1: Identification	n of the substance/mixture and of the comp	any/undertaking
· 1.1 Product identifier		
· Product name <u>EasyPrime</u>		
 Article number: 11036-000 1.2 Relevant identified uses of the No further relevant information of Application of the substance / the Coating Priming 		
• 1.3 Details of the supplier of the • Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen		Tel.: +49 (0)7156/357-0
• Informing department: service@ • 1.4 Emergency telephone number Emergency CONTACT (24-Hour		
SECTION 2: Hazards iden	tification	
• 2.1 Classification of the substan • Classification according to Regu The product is not classified, acc		
methyl-2H-isothiazol benzisothiazol-3(2H)-o. EUH210 Safety data sheet availa • 2.3 Other hazards • Results of PBT and vPvB assess • PBT: Not applicable. • vPvB: Not applicable.	ment	
SECTION 3: Composition	/information on ingredients	
• 3.2 Mixtures • Description: Mixture of the subst	tances listed below with harmless additions.	
· Dangerous components:		
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Reg.nr.: 01-2119457435-35-xxxx	1-methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	- 2.5-5%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposur limit	<2.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60	 1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: 	≦0.02%

Specific concentration limit:

Skin Sens. 1; H317: C≥0.05 %

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

Product name EasyPrime

		(Contd. of page
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one	<i>≤</i> 0.02%
Index number: 613-088-00-6	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302;	
Reg.nr.: 01-2120761540-60	Skin Irrit. 2, H315; Skin Sens. 1, H317	
Reg.m.: 01-2120/01540-00	Specific concentration limit:	
	Skin Sens. 1; H317: $C \ge 0.05$ %	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-	≥0.00025-<0.0015%
EC number: 911-418-6	3-one [EC no. 247-500-7] and 2-methyl-2H-	
Index number: 613-167-00-5	isothiazol-3-one [EC no. 220-239-6] (3:1)	
Reg.nr.: 01-2120764691-48	<i> </i>	
	Tox. 2, H330; 🕎 Skin Corr. 1C, H314; Eye Dam.	
	1, H318; 🚯 Aquatic Acute 1, H400 (M=100);	
	Aquatic Chronic 1, H410 (M=100); 🚯 Skin Sens.	
	1A, H317	
	Specific concentration limits:	
	Skin Corr. 1C; H314:C ≥0.6 %	
	Skin Irrit. 2; H315: $0.06 \% \le C < 0.6 \%$	
	<i>Eye Dam. 1; H318: C ≥ 0.6 %</i>	
	<i>Eye Irrit.</i> 2; <i>H319</i> : $0.06 \% \le C < 0.6 \%$	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

• *After skin contact The product is not skin irritating.*

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

(Contd. of page 2)

Product name EasyPrime

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm

*total vapour and particulates **particulates

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

- *Value for the permeation:* Level ≤ 6
- · Eye/face protection Safety glasses recommended during refilling.

(Contd. on page 4)

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

Product name EasyPrime

*

(Contd. of page 3)

9.1 Information on basic physical and chemical p	roperties	
General Information	i operates	
Physical state	Fluid	
Colour:	According to product specification	
Smell:	Recognisable	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling		
range	Not determined	
Flammability	Not applicable.	
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	<i>Not applicable</i>	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity at 20 °C	15 s (DIN 53211/4)	
dynamic:	Not determined.	
Solubility		
Water:	Not miscible or difficult to mix	
Partition coefficient n-octanol/water (log value)	Not determined.	
Steam pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C	1.041 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance: Form:	Fluid	
Important information on protection of health an any ironment and on safety	u	
environment, and on safety. Self-inflammability:	Product is not selfigniting.	
Seij-injiammability: Explosive properties:		
	Product is not explosive.	
Solids content: Change in condition	29.0 %	
Change in condition Evaporation rate	Not determined.	
•		
Information with regard to physical hazard classe		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

(Contd. of page 4)

Product name EasyPrime

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity

· LD/LC50	values that d	are relevant for classification:
107-98-21	-methoxy-2	propanol
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	13,500 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)
2634-33-5	1,2-benziso	thiazol-3(2H)-one
Oral	LD50	1,193 mg/kg (rat)
Dermal	LD50	4,115 mg/kg (rat)
2634-33-5	1,2-benziso	thiazol-3(2H)-one
Oral	LD50	1,193 mg/kg (rat)
Dermal	LD50	4,115 mg/kg (rat)
	LC50/96 h	2.18 mg/L (fish)
55965-84-		nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl- uzol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (rat)
Dermal	LD50	660 mg/kg (rat)
Inhalative	LC50/4 h	0.33 mg/l (rat)
	LC50/96 h	0.188 mg/L (fish)
• 11.2 Infor	mation on o	ther hazards
· Endocrine	disrupting	properties
None of the	e ingredient.	s is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/48 h 2.94 mg/L (whereas)

NOEC 0.027 mg/L (whereas)

(Contd. on page 6)

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

Product name EasyPrime

*

*

33963-84-9	reaction mass of: 5-chloro 2H-isothiazol-3-one [EC no	-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl
EC50/48 h	0.1 mg/L (daphnia)	
	0.027 mg/L (Algae)	
	0.0012 mg/L (Algae)	
NOLC		
	0.004 mg/L (daphnia) 0.098 mg/L (fish)	
12.5 Result PBT: Not a vPvB: Not 12.6 Endoc The produc 12.7 Other Additional General no Water haza	applicable. rine disrupting properties t does not contain substances adverse effects ecological information: tes: rd class 1 (Self-assessment): 2	ent with endocrine disrupting properties.
13.1 Waste Recommen Must not be After prior pertaining	e disposed of together with ho treatment product has to to the disposal of especially h	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen	treatment methods dation e disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations.
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen	treatment methods dation e disposed of together with ho r treatment product has to a to the disposal of especially h packagings: dation: Disposal must be made N 14: Transport information	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations.
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be made N 14: Transport information umber or ID number	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nt ADR, ADN	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad N 14: Transport informed umber or ID number J. IMDG, IATA	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations.
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr	treatment methods dation e disposed of together with ho treatment product has to to the disposal of especially h packagings: dation: Disposal must be made N 14: Transport informed umber or ID number f, IMDG, IATA oper shipping name	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. a tion Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad <u>v 14: Transport informa</u> umber or ID number f, IMDG, IATA oper shipping name f, IMDG, IATA	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nt ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans	treatment methods dation disposed of together with ho treatment product has to a to the disposal of especially h packagings: dation: Disposal must be mad N 14: Transport information with the manufacture of the manufacture	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. a tion Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad <u>v 14: Transport informa</u> umber or ID number f, IMDG, IATA oper shipping name f, IMDG, IATA	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation Void Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nt ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans	treatment methods dation disposed of together with ho treatment product has to a to the disposal of especially h packagings: dation: Disposal must be mad N 14: Transport information with the manufacture of the manufacture	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. a tion Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad N 14: Transport informe dation: D number (, IMDG, IATA oper shipping name (, IMDG, IATA port hazard class(es) (, IMDG, IATA	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation Void Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packin ADR, IMD	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad dation: Disposal must be mad N 14: Transport informe dation: Disposal must be mad number or ID number (JMDG, IATA oper shipping name (JMDG, IATA oper hazard class(es) (JMDG, IATA oper hazard class(es) (JMDG, IATA opmental hazards:	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation Void Void Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nt ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packin ADR, IMD 14.5 Envire Marine pol	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad dation: Disposal must be mad N 14: Transport informe dation: Disposal must be mad number or ID number (JMDG, IATA oper shipping name (JMDG, IATA oper hazard class(es) (JMDG, IATA oper hazard class(es) (JMDG, IATA opmental hazards:	nusehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation Void Void Void Void Void
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packin ADR, IMD 14.5 Envire Marine pol 14.6 Specia	treatment methods dation disposed of together with ho treatment product has to b to the disposal of especially h packagings: dation: Disposal must be mad dation: Disposal must be mad N 14: Transport informe (N 14: Transport informe mber or ID number (, IMDG, IATA oper shipping name (, IMDG, IATA port hazard class(es) (, IMDG, IATA opmental hazards: lutant: d precautions for user	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation Void Void Void Void Void No No Not applicable.
13.1 Waste Recommen Must not be After prior pertaining Uncleaned Recommen SECTIO 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Packin ADR, IMD 14.5 Envire Marine pol 14.6 Specia	treatment methods dation disposed of together with ho treatment product has to a to the disposal of especially h packagings: dation: Disposal must be mad N 14: Transport informa dation: Disposal must be mad N 14: Transport informa (MDG, IATA oper shipping name (MDG, IATA oper hazard class(es) (MDG, IATA oper hazard class(es) (MDG, IATA opmental hazards: lutant: d precautions for user me transport in bulk accordi	usehold garbage. Do not allow product to reach sewage system. be landfilled or incinerated under adherence to the regulation azardous waste. de according to official regulations. ation Void Void Void Void Void No No Not applicable.

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

(Contd. of page 6)

Product name EasyPrime

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

· Relevant phrases

H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Department issuing data specification sheet: Productmanagement. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 8)

Printing date 20.09.2022

Version number 32 (replaces version 31)

Revision: 20.09.2022

Product name EasyPrime

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * Data compared to the previous version altered. (Contd. of page 7)