
GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 36 (replaces version 35)

Printing date 20.02.2024

Revision: 20.02.2024



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

	(Contd. of page 1)
· Precautionary stat	tements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves / eye protection.
P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
· Additional inform	ation:
Product contains:	<i>Reportable explosives precursors. Making available, introduction, possession and use lation (EU) 2019/1148, Article 9.</i>

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:		
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49	acetone	50-100%
CAS: 9004-70-0	nitrocellulose solutions, with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	10-15%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol	≥8.5-<10%
CAS: 108-65-6 EINECS: 203-603-9 Index number: 607-195-00-7 Reg.nr.: 01-2119475791-29	2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226	<2.5%
• Additional information For t	he wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

In general, the product is not irritating to the skin. Wash off the product with plenty of soap and water after skin contact.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

• After swallowing In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Symptom Treat omatically.

(Contd. on page 3)

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents

Water.

- Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies. Prevent material from reaching sewage system, holes and cellars. Inform respective authorities in case product reaches water or sewage system.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Keep containers tightly sealed. Store in cool, dry conditions in well sealed containers. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

• Requirements to be met by storerooms and containers: Store in cool location.

- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

- · Storage class 3
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

(Contd. of page 3)

· 8.1 Control parameters	
-	hat require monitoring at the workplace:
67-64-1 acetone	
WEL Short-term value: 3620 mg/	
Long-term value: 1210 mg/	m³, 500 ppm
67-63-0 propan-2-ol	
WEL Short-term value: 1250 mg/	
Long-term value: 999 mg/m	³ , 400 ppm
• Additional information: The lists	that were valid during the compilation were used as basis.
· 8.2 Exposure controls	
• Appropriate engineering controls	No further data: see section 7
	uch as personal protective equipment
· General protective and hygienic i	
Keep away from foodstuffs, bever	
Instantly remove any soiled and in	npregnated garments.
Wash hands during breaks and at	the end of the work.
Avoid contact with the eyes.	
Avoid contact with the eyes and sk	sin.
Breathing equipment:	
Use breathing protection in case of	
	pollution use breathing filter apparatus. In case of intensive or long
exposure use breatning apparatus Filter AX.	that is independent of circulating air.
• Hand protection	
Protective gloves.	
	e wearing of gloves to the required minimum.
	rmeable and resistant to the product/ the substance/ the preparation.
	on consideration of the penetration times, rates of diffusion and i
degradation	
· Material of gloves	
Nitrile rubber, NBR	
and varies from manufacturer to	es does not only depend on the material, but also on further marks of quai manufacturer. As the product is a preparation of several substances, an not be calculated in advance and has therefore to be checked prior to
application.	~ 1
Recommended thickness of the ma	
· Penetration time of glove materia	
observed.	to be found out by the manufacturer of the protective gloves and has to
For the mixture of chemicals r (Permeation according to EN 374	nentioned below the penetration time has to be at least 480 minu. Part 3: Level 6).
Value for the permeation: Level \leq	
• Eye/face protection Tightly sealed	
, ., .,	
SECTION 9: Physical and	chemical properties
· 9.1 Information on basic physica	
· General Information	i una chemieta properates
· Physical state	Fluid
· Colour:	According to product specification
Smoll:	Recognisable

- · Smell:
- · Odour threshold:

According to product specification Recognisable Not determined.

(Contd. on page 5)

GB

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

	(Contd. of page
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling	
range	55 °C
Flammability	Highly flammable.
Lower:	2.6 Vol %
Upper:	13 Vol %
Flash point:	-18 °C
Auto-ignition temperature:	180 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	900 mPas
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure at 20 °C:	247 hPa
Density and/or relative density	
Density at 20 °C	0.84 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	not applicable, as liquid
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	••
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/steam mixtures is possible.
Solids content:	11.6%
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe Explosives	s Void
Flammable gases	Void
Aerosols	Void
Aerosois Oxidising gases	Void
	Void Void
Gases under pressure	
Flammable liquids Flammable solids	Highly flammable liquid and vapour. Void
	Void Void
Self-reactive substances and mixtures	
Pyrophoric liquids	Void Void
Pyrophoric solids	Void Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	V-: 1
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
	Void Void Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

⁻ GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available. • 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

$\cdot LD/LC50$	values that	t are relevant for classification:
67-64-1 ac	cetone	
Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)
67-63-0 pr	opan-2-ol	
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,400 mg/kg (rab)
Inhalative	LC50/4 h	30 mg/l (rat)
108-65-62	2-methoxy-	1-methylethyl acetate
Oral	LD50	6,200 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	35.7 mg/l (rat)
STOT-sing	gle exposu	irritation Causes serious eye irritation. re May cause drowsiness or dizziness. other hazards
· Endocrine	e disrupting	g properties
M Cal	• 1•	. • 1• . 1

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)

(Contd. of page 5)

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

(Contd. of page 6)

GB

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

14.1 UN number or ID number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR	1263 PAINT RELATED MATERIAL (vapour pressure a
ADK	50°C not more than 110 kPa)
	1263 FARBZUBEHÖRSTOFFE
IMDG, IATA	PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Kemler Number: EMS Number:	33 E E S E
LIMS Number: Stowage Category	F-E, <u>S-E</u> B
14.7 Maritime transport in bulk according instruments	<i>g to IMO</i> Not applicable.
Transport/Additional information:	······
ADR Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
Excepten quantumes (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L

Listed

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

	(Contd. of page 7)	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA), 3, II	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

67-64-1 acetone

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*). This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H200 Unstable explosives.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H228 Flammable solid.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet: Product safety

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

(Contd. on page 9)

Printing date 20.02.2024

Version number 36 (replaces version 35)

Revision: 20.02.2024

Product name LOBADUR Fugenkittlösung

	(Contd. of page 8
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Unst. Expl.: Explosives – Unstable explosive	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Flam. Sol. 1: Flammable solids – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* * Data compared to the previous version altered.	