Printing date 25.01.2024

Version number 11 (replaces version 10)

Revision: 25.01.2024

· 1.1 Product identifier	
Product name <u>2K Supra A.T.</u>	
 Article number: 11465-000 1.2 Relevant identified uses of the substance or mixture and uses advised agai No further relevant information available. Application of the substance / the mixture Dispersion paint/ Latex paint Multi-pack product 	inst
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 	Tel.: +49 (0)7156/357-
• Informing department: service@loba.de • 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification	
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.	
• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 Void • Hazard pictograms Void • Signal word Void • Hazard statements Void	e [EC no. 247-500-7] and .

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

 Dangerous components: 		
	Dipropylene glycol monomethyl ether substance with a Community workplace exposure	2.5-5%
Reg.nr.: 01-211-945-0011-60-xxxx	7 1 1	
EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	<1.5%

(Contd. on page 2) GB

Printing date 25.01.2024

Version number 11 (replaces version 10)

Revision: 25.01.2024

Product name 2K Supra A.T.

		(Contd. of page
CAS: 78-93-3	butanone	<i>≤</i> 1%
EINECS: 201-159-0	🚸 Flam. Liq. 2, H225; 🚯 Eye Irrit. 2, H319;	
Index number: 606-002-00-3	STOT SE 3, H336, EUH066	
Reg.nr.: 01-2119457290-43-xxxx		
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-	≥0.00025-<0.0015%
EC number: 911-418-6	isothiazolin-3-one [EC no. 247-500-7] and 2-	
Index number: 613-167-00-5	methyl-2H-isothiazol-3-one [EC no. 220-239-6]	
Reg.nr.: 01-2120764691-48	(3:1)	
5	Acute Tox. 3, H301; Acute Tox. 2, H310;	
	Acute Tox. 2, H330; 📀 Skin Corr. 1C, H314; Eye	
	Dam. 1, H318; 🚯 Aquatic Acute 1, H400	
	(M=100); Aquatic Chronic 1, H410 (M=100);	
	() Skin Sens. 1A, H317, EUH071	
	Specific concentration limits:	
	<i>Skin Corr. 1C;H314: C ≥ 0.6 %</i>	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	<i>Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %</i>	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

• After skin contact The product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)

Printing date 25.01.2024

Version number 11 (replaces version 10)

Revision: 25.01.2024

(Contd. of page 2)

Product name 2K Supra A.T.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions necessary if used correctly.

• Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm

111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV

78-93-3 butanone

Sk

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

78-93-3 butanone

BMGV 70 µmol/L

Medium: urine Sampling time: post shift

Parameter: butan-2-one

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Printing date 25.01.2024

observed.

Version number 11 (replaces version 10)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

Revision: 25.01.2024

Product name 2K Supra A.T.

· Penetration time of glove material

Recommended thickness of the material: ≥ 0.4 mm

ned below the penetration time has to be at least 480 minu
2: Level 6).
. 10101 0).
imended during refilling.
ical properties
chemical properties
Fluid
According to product specification
Recognisable
Not determined.
Not determined
l boiling
100 °C
Not applicable.
Not determined.
Not determined.
Not applicable
Not determined.
Not determined.
17 s (ISO 4 mm)
Not determined.

Not miscible or difficult to mix Not determined. Not determined.

1.05 g/cm³ Not determined. Not determined.

• 9.2 Other information

· Density and/or relative density

· Appearance:

· Flammable liquids

· Flammable solids

· Pyrophoric liquids

· Self-reactive substances and mixtures

Form: Important information on protection of health and

• Solubility • Water:

· Steam pressure:

• Density at 20 °C • Relative density

· Vapour density

Product is not selfigniting. Product is not explosive. Not determined. I to physical hazard classes Void

Fluid

environment, and on safety.Self-inflammability:ProduExplosive properties:ProduChange in conditionProdu

 • Evaporation rate
 Not a

 • Information with regard to physical hazard classes
 •

 • Explosives
 Void

 • Flammable gases
 Void

 • Aerosols
 Void

 • Oxidising gases
 Void

 • Gases under pressure
 Void

· Partition coefficient n-octanol/water (log value)

Void Void Void Void (Contd. of page 3)

- GB

(Contd. on page 5)

Printing date 25.01.2024

Version number 11 (replaces version 10)

Revision: 25.01.2024

Product name 2K Supra A.T.

		(Contd. of page 4)
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	5,135 mg/kg (rat)
Dermal	LD50	9,500 mg/kg (rat)
111-76-2 2	-butoxyeth	anol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)
		450 mg/l (rat)
78-93-3 bi	itanone	
Oral	LD50	3,300 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	12,000 mg/l (rat)
55965-84-		nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methy azol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (rat)
Dermal	LD50	660 mg/kg (rat)
Inhalative	LC50/4 h	0.33 mg/l (rat)
	LC50/96 h	0.188 mg/L (fish)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

Germiceu mulugenicuy basea on avaliable aala, ine classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity* Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

according to 1907/2000/20, Anaca

Printing date 25.01.2024

Version number 11 (replaces version 10)

Revision: 25.01.2024

Product name 2K Supra A.T.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

78-93-3 butanone

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h 0.1 mg/L (daphnia)

EC50/72 h 0.027 mg/L (Algae)

NOEC 0.0012 mg/L (Algae)

0.004 mg/L (daphnia)

0.098 mg/L (fish)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	

(Contd. of page 5)

List II

[·] Uncleaned packagings:

Listed

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 11 (replaces version 10)

Revision: 25.01.2024

Product name 2K Supra A.T.

		(Contd. of page 6)
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to instruments	IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

67-64-1 acetone

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.

(Contd. on page 8)

⁻ GB

Version number 11 (replaces version 10)

Revision: 25.01.2024

Product name 2K Supra A.T.

Printing date 25.01.2024

(Contd. of page 7)
H410 Very toxic to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.
EUH071 Corrosive to the respiratory tract.
1 1
· Classification according to Regulation (EC) No 1272/2008
The classification of the mixture is generally based on the calculation method using substance data according
to Regulation (EC) No 1272/2008.
Department issuing data specification sheet: Product safety
• Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
• * Data compared to the previous version altered.
- GB