GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

· 1.1 Product identifier	
· Product name <u>LOBADUR WS Life Amber Halbmatt</u>	
 Article number: 11536-000 1.2 Relevant identified uses of the substance or mixture of No further relevant information available. Application of the substance / the mixture Coating material Wood protection glossy 	and uses advised against
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH + 	Tel.: +49 (0)7156/35 49 (0)6132-84463
SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/200	
· 2.1 Classification of the substance or mixture	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/20 The product is not classified, according to the CLP regula 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 V Hazard pictograms Void Signal word Void Hazard statements Void 	tion.
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/200 The product is not classified, according to the CLP regula 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 V Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl methyl-2H-isothiazol-3-one [EC no. 220-239-6] an allergic reaction. 	tion. oid
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/200 The product is not classified, according to the CLP regula 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 V Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl methyl-2H-isothiazol-3-one [EC no. 220-239-6] an allergic reaction. EUH210 Safety data sheet available on request. 	tion. oid '-4-isothiazolin-3-one [EC no. 247-500-7] and
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/200 The product is not classified, according to the CLP regula 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 V Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl methyl-2H-isothiazol-3-one [EC no. 220-239-6] an allergic reaction. EUH210 Safety data sheet available on request. 2.3 Other hazards 	tion. oid '-4-isothiazolin-3-one [EC no. 247-500-7] and
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/200 The product is not classified, according to the CLP regula 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 V Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl methyl-2H-isothiazol-3-one [EC no. 220-239-6] an allergic reaction. EUH210 Safety data sheet available on request. 	tion. oid '-4-isothiazolin-3-one [EC no. 247-500-7] and

· 3.2 Mixtures

• Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:

0 1		
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	2.5-5%
EINECS: 252-104-2	substance with a Community workplace exposure	
Reg.nr.: 01-211-945-0011-60-xxxx	limit	
		(Contd. on page 2)

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

Product name LOBADUR WS Life Amber Halbmatt

		(Contd. of page 1)
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05$ %	<u>≤</u> 0.02%
CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	≥0.00025-<0.0015%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of symptoms.

• After skin contact The product is not skin irritating.

· After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

(Contd. on page 3)

^{• 5.1} Extinguishing media

[—] GB

accorating to 1707/2000/EC, Article

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

Product name LOBADUR WS Life Amber Halbmatt

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm

Sk

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands during breaks and at the end of the work.
- **Breathing equipment:** Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Fluid

Value for the permeation: Level ≤ 6

· Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information • Physical state
- Colour: Ember coloured • Smell: Characteristic

(Contd. on page 4)

(Contd. of page 2)

GB

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

Product name LOBADUR WS Life Amber Halbmatt

	(Contd. of page
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water, distilled, conductivity or e
	similar purity)
Flammability	Not applicable.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 20 °C	18 s (DIN 53211/4)
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure:	
Density and/or relative density	$1.025 c/cm^3$
Density at 20 °C	1.035 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	nd
environment, and on safety.	
Explosive properties:	Product is not explosive.
Organic solvents:	5.3 %
Water:	65.7 %
Solids content:	28.8 %
Change in condition	
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

(Contd. on page 5)

accoraing to 1907/2000/EC, Article

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

Product name LOBADUR WS Life Amber Halbmatt

(Contd. of page 4)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute	toxicity
---------	----------

· LD/LC50	values that d	are relevant for classification:	
34590-94-	8 Dipropyle	ne glycol monomethyl ether	
Oral	LD50	5,135 mg/kg (rat)	
Dermal	LD50	9,500 mg/kg (rat)	
2634-33-5	1,2-benziso	thiazol-3(2H)-one	
Oral	LD50	1,193 mg/kg (rat)	
Dermal	LD50	4,115 mg/kg (rat)	
55965-84-	9 reaction n	nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	l 2-methyl-
	2H-isothia	nzol-3-one [EC no. 220-239-6] (3:1)	
Oral	LD50	457 mg/kg (rat)	
Dermal	LD50	660 mg/kg (rat)	
Inhalative	LC50/4 h	0.33 mg/l (rat)	
	LC50/96 h	0.188 mg/L (fish)	
· 11.2 Infor	mation on o	ther hazards	
· Endocrine	disrupting	properties	
556-67-2	octamethylc	yclotetrasiloxane	List II, III

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

 EC50/48 h
 0.1 mg/L (daphnia)

 EC50/72 h
 0.027 mg/L (Algae)

 NOEC
 0.0012 mg/L (Algae)

 0.004 mg/L (daphnia)

0.098 mg/L (fish)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 6)

-----GB

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

Product name LOBADUR WS Life Amber Halbmatt

(Contd. of page 5)

- 12.7 Other adverse effects • Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

• *Recommended cleaning agent: Water, if necessary with cleaning agent.*

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

⁻ GP.

Printing date 15.02.2022

Version number 5 (replaces version 4)

Revision: 15.02.2022

Product name LOBADUR WS Life Amber Halbmatt

Alteration in the context will be marked with a cross (*).	(Contd. of page
Relevant phrases	
H301 Toxic if swallowed.	
H302 Harmful if swallowed.	
H310 Fatal in contact with skin.	
H314 Causes severe skin burns and eye damage.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H330 Fatal if inhaled.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
Department issuing data specification sheet: Productmanagement. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent	Agreement Concerning t
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Shin Same Li Shin constitution – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
* Data compared to the previous version altered.	
· · ·	