Printing date 07.11.2022

*

*

Index number: 022-006-00-2 🐼 Carc. 2, H351

Version number 4 (replaces version 3)

Revision: 07.11.2022

(Contd. on page 2)

GB

<pre>Auct name GapFiller weiss white silber silver grau grey Cale number: 16227-000 Relevant identified uses of the substance or mixture and uses advised against in ther relevant information available. Lication of the substance / the mixture Acrylic sealant Details of the supplier of the safety data sheet ufacturer/Supplier: A GmbH & Co. KG berger Straße 56 - 62 254 Ditzingen Emergency telephone number: rgency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 CTION 2: Hazards identification Classification of the substance or mixture sification according to Regulation (EC) No 1272/2008</pre>	Tel.: +49 (0)7156/357
Relevant identified uses of the substance or mixture and uses advised against wither relevant information available. lication of the substance / the mixture Acrylic sealant Details of the supplier of the safety data sheet ufacturer/Supplier: A GmbH & Co. KG uberger Straße 56 - 62 254 Ditzingen Emergency telephone number: rgency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 CTION 2: Hazards identification Classification of the substance or mixture	Tel.: +49 (0)7156/357
ufacturer/Supplier: A GmbH & Co. KG berger Straße 56 - 62 254 Ditzingen Emergency telephone number: rgency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 CTION 2: Hazards identification Classification of the substance or mixture	Tel.: +49 (0)7156/357
Classification of the substance or mixture	
product is not classified, according to the GB CLP regulation.	
 Label elements Calling according to Regulation (EC) No 1272/2008 Void Card pictograms Void Card statements Void Card statements Void Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-ma [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-allergic reaction. Constant State available on request. Constant State available on request. Conter hazards Conter hazards<!--</td--><td>-6] (3:1). May produce (</td>	-6] (3:1). May produce (
CTION 3: Composition/information on ingredients	
Mixtures pription: Mixture of the substances listed below with harmless additions.	

Printing date 07.11.2022

Version number 4 (replaces version 3)

Revision: 07.11.2022

Product name GapFiller weiss white silber silver grau grey

		(Contd. of page 1)
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-9	📀 Eye Dam. 1, H318; 🕸 Aquatic Acute 1, H400;	
	Áquatic Chronic 2, H411; 🚯 Acute Tox. 4, H302; Skin	
Reg.nr.: 01-2120761540-60	Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit:	
	Skin Sens. 1; H317: C ≥0.05 %	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-	≥0.00025-<0.0015%
EC number: 911-418-6	one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-	
Index number: 613-167-00-5	one [EC no. 220-239-6] (3:1)	
Reg.nr.: 01-2120764691-48	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox.	
	2, H330; 🐼 Skin Corr. 1C, H314; Eye Dam. 1, H318;	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic	
	1, H410 (M=100); 📣 Skin Sens. 1A, H317	
	Specific concentration limits:	
	Skin Corr. 1C; H314: C ≥0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	<i>Eye Irrit. 2; H319: 0.06 %</i> $\leq C < 0.6$ %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
• Additional information For t	he wording of the listed hazard phrases refer to section 16	.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)

Printing date 07.11.2022

Version number 4 (replaces version 3)

Revision: 07.11.2022

Product name GapFiller weiss white silber silver grau grey

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class 10-13
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: $Level \le 6$

· Eye/face protection Safety glasses recommended during refilling.

9.1 Information on basic physical and cl	hemical properties	
General Information		
Physical state	Fluid	
Colour:	White	
Smell:	Weak, characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and	boiling	
range	Not determined	

Printing date 07.11.2022

Version number 4 (replaces version 3)

Revision: 07.11.2022

Product name GapFiller weiss white silber silver grau grey

	(Contd. of page
Flammability	Not applicable.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	8.95
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	1.56 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
· ·	Tot determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	d
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	\$
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.11.2022

Version number 4 (replaces version 3)

Revision: 07.11.2022

Product name GapFiller weiss white silber silver grau grey

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. of page 4)

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

•	A	сı	ite	t	0.	<i>x</i>	city

· LD/LC50 values that are relevant for classification:					
2634-33-5 1,2-benzisothiazol-3(2H)-one					
Oral	LD50	1,193 mg/kg (rat)			
Dermal	LD50	4,115 mg/kg (rat)			
	LC50/96 h	2.18 mg/L (fish)			
55965-84-	55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-				
2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
Oral	LD50	457 mg/kg (rat)			
Dermal	LD50	660 mg/kg (rat)			
Inhalative	LC50/4 h	0.33 mg/l (rat)			
	LC50/96 h	0.188 mg/L (fish)			
11.2 Information on other hazards					
· Endocrine disrupting properties					

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/48 h 2.94 mg/L (whereas)

NOEC 0.027 mg/L (whereas)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h 0.1 mg/L (daphnia)

EC50/72 h 0.027 mg/L (Algae)

NOEC 0.0012 mg/L (Algae) 0.004 mg/L (daphnia)

0.098 mg/L (fish)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

• 12.7 Other adverse effects

• Additional ecological information:

• General notes: Generally not hazardous for water.

(Contd. on page 6)

Printing date 07.11.2022

Version number 4 (replaces version 3)

Revision: 07.11.2022

Product name GapFiller weiss white silber silver grau grey

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information				
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void			
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void			
· 14.3 Transport hazard class(es)				
· ADR, ADN, IMDG, IATA · Class	Void			
· 14.4 Packing group · ADR, IMDG, IATA	Void			
· 14.5 Environmental hazards:	Not applicable.			
· 14.6 Special precautions for user	Not applicable.			
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.				
· UN "Model Regulation":	Void			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Generally not hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

Relevant phrases
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.

(Contd. on page 7)

GB

Printing date 07.11.2022

Version number 4 (replaces version 3)

Revision: 07.11.2022

Product name GapFiller weiss white silber silver grau grey

	(Contd. of page 6)
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H330 Fatal if inhaled.	
H351 Suspected of causing cancer.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
H411 Toxic to aquatic life with long lasting effects.	
Department issuing data specification sheet: Productmanagement.	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (Europe	ean Agreement Concerning the
International Carriage of Dangerous Goods by Road)	0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 14: Skin sensitisation – Category 1A	
Carc. 2: Carcinogenicity – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
* Data compared to the previous version altered.	
	GI